

Denver, CO 80203

Hospital Transformation Program

Intervention Proposal

I. Background Information

This Intervention Proposal is designed to clearly articulate the scope and goals of proposed transformation interventions aimed at impacting the hospital's selected local quality measures under the HTP. The following questions are meant to assist the state in identifying: the evidence base for each intervention; the need within targeted communities for the implementation of the interventions; and how the interventions will advance the goals of the HTP.

Hospitals will not be required to implement a specified number of interventions. Instead, participation requirements are based on the selection of local quality measures to impact within the five HTP Focus Areas:

- Reducing Avoidable Hospital Utilization
- Core Populations
- Behavioral Health and Substance Use Disorders
- Clinical and Operational Efficiencies
- Community Development Efforts to Address Population Health and Total Cost of Care

Hospitals will be required to address statewide measures for each Focus Area. Hospitals will also be required to select from the HTP-list-of-local-measures across the five Focus Areas based on community needs and the goals of the HTP. Each hospital will be required to work on a set of measures equal to 100 points. The number, mix and points per measure will vary according to hospital size, defined by bed count or specialty type:

- Large hospitals (91+ beds) will be accountable for six statewide measures, totaling 60 points and a minimum of four local measures, which will account for 40 points. Points per local measure will equal 40 divided by the number of local measures selected.
- Medium hospitals (26-90 beds) will be accountable for six statewide measures and a minimum of two local measures. If two local measures are selected, statewide measures will total 75 points, and local measures will account for 25 points. Points per local measure will equal 25 divided by the number of local measures selected. If three local measures are selected, then statewide measures will total 67 points and local measures will account for 33 points. Points per local measure will equal 33 divided by the number of local measures selected. If four or more local measures are selected, then statewide measures will then total 60 points and local measures will account for 40 points. Points per local measure will equal 40 divided by the number of local measures selected for four or more local measures.
- Small hospitals (<26 beds) excluding critical access hospitals will be accountable for six measures (statewide or local) to account for 100 points. Points per each measure will equal 100 divided by the number of measures selected.
- Critical access hospitals will be accountable for six measures (statewide or local) and will have their risk for measures reduced by 40%.
- Pediatric hospitals will be accountable for five statewide measures, totaling 50 points and a minimum of five local measures, which will account for 50 points. Points per local measure will equal 50 divided by the number of local measures selected.





Respiratory specialty hospital(s) will be accountable for four statewide measures and a
minimum of four local measures. If four measures are selected then statewide measures will
total 56 points and local measures will account for 44 points. Points per local measure will
equal 44 divided by the number of local measures selected. If five or more measures are
selected, then statewide measures will total 50 points and local measures will total 50
points. Points per local measure will equal 50 divided by the number of local measures
selected.

Hospitals have the option to work on local measures beyond the required minimum. This would spread the local measure risk by reducing the points per local measure.

In addition, hospitals have the option to replace a local measure with a statewide priority. Each statewide priority will be worth 20 points and if selected the points for each remaining local measure will be equal to the remaining total required local measure points divided by the number of local measures, greatly reducing the risk associated with those measures.

Hospitals should consult the Measure Scoring Summary, which can be found on the HTP webpage, for more information about measure selection, requirements and scoring.

Hospitals must then design five-year interventions that will impact their selected quality measures.

Hospitals must demonstrate that their proposed interventions will fulfill the goals of the HTP and are evidence-based. They must also justify the selection of each intervention based on the findings of the Community and Health Neighborhood Engagement process, including the environmental scan and feedback.

Each hospital will need to report its own data and submit its own application, but partnerships between hospitals may occur in some instances.

Hospitals may leverage existing resources for interventions, and existing interventions may be considered insofar as they expand or enhance the Department's noted goals and meet the following criteria:

- The hospital must demonstrate that the existing intervention is being selected because it is
 the best approach for meeting the needs of the community identified during the Community
 and Health Neighborhood Engagement process.
- The hospital must demonstrate that the intervention can and will be enhanced to meet HTP goals.

In addition to meeting the above criteria, any hospital proposing existing interventions for participation in the HTP will be expected to propose and implement accelerated milestones in the Implementation Plan for such interventions.

This Intervention Proposal must be completed separately for each of the interventions being proposed for inclusion in the HTP. Hospitals must submit interventions that, together, address all of the statewide quality measures and the local quality measures listed in the hospital's response to Question 6 in the Hospital Application.





II. Overview of Intervention

- 1. Name of Intervention: <u>Expansion of Screening</u>, <u>Briefing Intervention and Referral to Treatment</u> (SBIRT) coordination.
- 2. Please use the table below to identify which statewide and selected local quality measures (from the hospital's response to Question 6 in the Hospital Application) the hospital will address through this intervention. As a reminder, each of the statewide and selected local quality measures must be identified for at least one intervention. As such, if this is the only intervention addressing a given Focus Area, all statewide quality measures and all selected local quality measures for that Focus Area must be included in this response. This response should align with the intervention-specific list included in the response to Question 7 in the Hospital Application.

Please note, hospitals are also required to complete the Intervention Proposal below for statewide priorities identified in Question 6 of the HTP Hospital Application.

Please use the unique identification code from the Performance Measures List (which is available on the HTP website) to identify your selected measures. For example, the measure "30 Day All Cause Risk Adjusted Hospital Readmission" should be listed as SW-RAH1.

Response (Please format the response as a numbered list)

1. BH1

- 3. Please use the space below to describe the intervention and the rationale for its selection. Responses should include:
 - A description of the intervention;
 - Who will be the target population for the intervention; and
 - How the intervention advances the goals of the HTP:
 - Improve patient outcomes through care redesign and integration of care across settings;
 - ✓ Improve the patient experience in the delivery system by ensuring appropriate care in appropriate settings;
 - ✓ Lower Health First Colorado (Colorado's Medicaid Program) costs through reductions in avoidable hospital utilization and increased effectiveness and efficiency in care delivery;
 - Accelerate hospitals' organizational, operational, and systems readiness for valuebased payment; and
 - ✓ Increase collaboration between hospitals and other providers, particularly Accountable Care Collaborative (ACC) participants, in data sharing and analytics, evidence-based care coordination and care transitions, integrated physical and behavioral care delivery, chronic care management, and community-based population health and disparities reduction efforts.

Response (Please seek to limit the response to 1,000 words or less)

The intervention selected addresses the intervention to track the Screening, Brief Intervention and Referral to Treatment (SBIRT) in the emergency department (ED). The implementation plan will track the percent of ED patients age 10 years and older who are screened for alcohol or other





substance use as well as the present of patients who screen positive that received a brief intervention. We intend on leveraging our HealthONE Division EHR specialists for ED documentation to add this to the documentation system; in the interim, this process will be documented on paper and scanned into the medical record.

We believe this intervention will advance the goals of the Hospital Transformation Program by improving identification of patients who have unhealthy alcohol or substance abuse usage and providing them resources for support to potentially prevent future complications or problems resulting from misuse of alcohol and/or other substances.

- 4. Please use the space below to describe how the intervention and any selected local quality measures to be addressed by the intervention align with community needs identified throughout the Community and Health Neighborhood Engagement process (including data identified in the hospital's CHNE midpoint and final reports), including but not limited to:
 - How the intervention and any selected local quality measures to be addressed by the
 intervention were selected based on identified community needs, including how they align
 with identified significant behavioral and physical health needs and / or service capacity
 resources and gaps, including related to care transitions and social determinants of
 health;
 - How the population of focus aligns with identified community needs; and
 - How the proposed intervention will leverage available medical and / or social resources and partners.

Response (Please seek to limit the response to 1,500 words or less)

The Colorado State Epidemiological Outcomes Workgroup's (SEOW) 2018 policy brief stated that 20% of adults in Colorado drink alcohol excessively (State Epidemiological Outcomes Workgroup, 2018). According to SEOW, excessive drinking not only leads to injuries, violence and chronic disease but cost \$5 billion dollars in 2010 with taxpayers covering about half of those costs. Utilizing an evidence based method for identifying patients who are at risk for excessive alcohol usage, and completing a brief intervention, has demonstrated to effectively reduce risky/excessive alcohol consumption (Substance Abuse and Mental Health Services Administration (SAMHSA), 2011). Sky Ridge Medical Center's midpoint review highlighted that alcohol usage is the sixth highest reason for admission. With implementation of a standardized, evidence base screening tool for excessive alcohol usage, it is likely that we could decrease the amount of hospitalizations for excessive alcohol usage as well as improve the overall health of our community.

- 5. Please identify the evidence base (academic, professional or otherwise) related to this intervention's use among the target population by selecting one of the following options:
 - (1) Randomized Control Trial (RCT) level evidence
 - (2) Best practice supported by less than RCT evidence
 - (3) Emerging practice
 - (4) No evidence

If you selected option 1, 2 or 3 above, please use the space below to summarize the evidence base (academic, professional or otherwise) related to this intervention's use among the target population. The response should address the intervention's ability to impact the selected local and statewide quality measures identified in Question 6 in the Hospital Application. Please





submit the response in narrative form and provide links to any reference documentation (data, citations, etc.).

If you selected option 4 indicating that there is no known evidence base, please explain why this intervention is being proposed regardless.

Response (Please seek to limit the response to 1,500 words or less)

Best practice - In 2011, the Drug Abuse Warning Network (DAWN) estimated that 5.1 million drug-related emergency department (ED) visits occurred nationwide (Emergency Nurses Association (ENA), 2016). According to SAMHSA's 2011 report, SBIRT was developed as 'a public health model designed to provide universal screening, secondary prevention, early intervention and treatment for people who have problematic or hazardous alcohol problems' (SAMHSA, 2011). These two reports highlight the scope of the issue and need to implement SBIRT processes to promote wellness and prevention of continuing substance abuse.

In general, nurses are uniquely suited to be actively engaged in SBIRT processes. Besides being ranked as the most trusted profession in the United States, nurses are the single largest group of healthcare professionals (ENA, 2016). Emergency department (ED) nurses have the added advantage of frequently encountering people seeking health care who also have alcohol and/or drug misuse/abuse. ENA has long advocated for emergency nurses to become educated and trained in SBIRT processes with the intent to implement it in their daily patient care practice.

CITATIONS:

Emergency Nurses Association. 2017. Expanded role and responsibilities for nurses in screening, brief intervention and referral to treatment (SBIRT) for alcohol use. Retrieved from: https://www.ena.org/docs/default-source/resource-library/practice-resources/position-statements/joint-

statements/expandedrolesresponsibilitiesfornursesinsbirt.pdf?sfvrsn=594e67b0_6

Substance Abuse and Mental Health Services Administration (SAMHSA), 2011; retrieved from: https://www.samhsa.gov/sites/default/files/sbirtwhitepaper_0.pdf)

State Epidemiological Outcomes Workgroup, 2018; retrieved from: https://drive.google.com/file/d/1qZg45BSMcds5tE42JLBDNPX-6pDqlpKj/view)

6. a	Does the focus of the proposed intervention intersect with ongoing initiatives statewide (including, but not limited to those included in the ACC, State Innovation Model and Comprehensive Primary Care Plus)?					
	□ No					
b	 If yes, please identity the applicable statewide initiative(s): (you may select more than one response from the list below) 					
	Behavioral Health Task Force					
	Affordability Road Map					



IT Road Map
☐ <u>HQIP</u>
□ <u>ACC</u>
SIM Continuation
Rx Tool
Rural Support Fund
□ SUD Waiver
☐ Health Care Workforce
☐ Jail Diversion
Crisis Intervention
Primary Care Payment Reform
Other: American College of Surgeons Committee requires all Level I and II Trauma Program screen for risky ETOH use (please identify)

Please also use the space below to briefly explain how the hospital will ensure the intervention aligns with the applicable ongoing initiative(s).

Response (Please seek to limit the response to 750 words or less)

Sky Ridge will ensure the intervention aligns with the ongoing initiative because as we expand SBIRT screening and increase the number of patients we identify as having risky behavior, we can connect them with the appropriate resources. If patients are able to decrease the risk of injury or illness, this will improve quality of life, decrease future injuries, illnesses and prevent hospitalization - thus lowering healtcare cost.

https://static1.squarespace.com/static/57754f775016e161aa4b73ad/t/59d2798059cc682bbe8abc02/1506965928151/Swenson+Ten+Year+of+Implementing+SBIRT+-+Substance+Abuse+2017.pdf

7. Please use the space below to explain any experience the hospital or any affiliated community partners have had with this type of intervention or target population and how that experience will support the success of the intervention.

Response (Please seek to limit the response to 500 words or less)

Being a Level II Trauma Center, Sky Ridge has routinely completed SBIRT for all trauma activations. All emergency department nurses, as well as case managers and trauma coordinators, have been trained in SBIRT. Together, the team works as the gatekeepers to patient care when they initially arrive at the facility to provide the best patient care that results in positive outcomes for community.

8. a. Is this an existing intervention in use within the hospital ("existing interventions" are those interventions the hospital has implemented or is implementing on the day it submits the Hospital Application)?



Yes					
] No					
_	_	_			

- b. If yes, please use the space below to explain how the following criteria for leveraging existing interventions is satisfied (the response may reference answers above):
 - The hospital must demonstrate that the use of the existing intervention is the best approach for meeting the needs of the community identified during the Community and Health Neighborhood Engagement process.
 - The hospital must demonstrate that the project will be enhanced to meet HTP goals.

Response (Please respond as applicable; Please seek to limit the response to 1,000 words or less)

SBIRT is documented in the patient's trauma flowsheet in the ED; inpatient documents it as an intervention in the PCS Meditech electronic health record. The appropriate brief intervention and resources are determined by case managers.

9. a	Will the intervention be a joint effort with another organization (e.g., a Regional Accountable Entity, Local Public Health Agency, a mental or community health center, another community organization or any other external organization)?
	☐ Yes
	⊠ No

Partnerships are not required, but, if the hospital will partner, please complete the remainder of this question and provide the required documentation (see subpart c).

b. If yes, please complete the following chart, including listing the partner organization; listing the type of organization; indicating whether the hospital has previously partnered with the organization; and providing a high-level summary of the expected role of the organization in intervention's leadership and implementation.

Partner Organization Name	Type of Organization	Does the hospital have any previous experience partnering with this organization? (Yes or No)	Organization's Role in Intervention Leadership and Implementation (high- level summary)		

c. Please also submit documentation of the partnership with each listed organization. Documentation may be provided separately for each organization listed above and could include: a contract; a memorandum of understanding; a business association agreement; a Letter of Partnership from the listed organization(s); or similar documentation. If a Letter of Partnership is provided, in it the organization should: (1) acknowledge that it intends to partner; (2) provide a brief description of the organization; (3) express agreement with the



planned intervention; and (4) express agreement with the planned role it will have in leadership and implementation of the intervention as expressed above. The letter should be signed by a member of the organization's management and submitted with this application in the same .pdf document. The Letter of Partnership Template can be found on the <a href="http://example.com/https://exa

