

HCA Florida Palms West Hospital Day of Surgery Orders

Register Patient as: ☐ Observation ☐ Inpatient ☐ Outpatient Date of Procedure: _____	
Surgical Procedure : _____ Surgeon: _____	
Allergies/Reaction: ☐ NKDA ☐ List _____	
Patient Date of Birth: _____ Patient Weight: _____ kg Patient Height: _____	
Preoperative Orders: 1. Initiate anesthesia protocol – Labs per Anesthesia 2. ☐ Type & Screen ☐ Type & Cross x _____ Units 3. Beta-blocker prophylaxis (<i>for surgery if patient currently taking a beta-blocker</i>): _____ 4. VTE Prophylaxis: SCDs ☐ Contraindicated (Bilateral Amputee, lower leg trauma, lower leg wounds, patient refusal) 5. Surgical Site Preparation (<i>Preparation of pelvic, splinted or extremity cases to be prepped in OR, otherwise preparation to be completed in ASU</i>) • Clip hair around incision site • 2% Chlorhexidine gluconate cloth over incision area for procedures scheduled with implants Diagnostic Studies: ☐ CXR ☐ KUB ☐ EKG ☐ Other: _____	
General Preop Antibiotics: (i.e. Cardiac or Vascular Podiatry, Thoracic, Hernia Repair, Plastic surgery)	☐ Cefazolin 2 grams IV once (if ≥ 120 kg, give 3 grams total) If beta-lactam allergy or has a history or risk for MRSA: ☐ Vancomycin If < 100 kg, give Vancomycin 1 gram IV once If ≥ 100 kg, give Vancomycin 1.5 grams IV once ☐ Clindamycin 900 mg IV once
Intra-Abdominal Surgery: (i.e. Colon, Appendectomy, Gastric, PEG Placement, Cholecystectomy)	☐ Cefazolin 2 grams IV (If ≥ 120 kg, give 3 grams) PLUS Metronidazole 500 mg IV once ☐ Cefoxitin 2 grams IV once ☐ If B-lactam allergy: Metronidazole 500 mg IV once PLUS Gentamicin 100 mg IV once
Gynecological Surgery:	☐ Cefazolin 2 grams IV once (if ≥ 120 kg, give 3 grams total) ☐ Cefoxitin 2 grams IV once ☐ If B-lactam allergy: Clindamycin 900 mg IV once PLUS Gentamicin 100 mg IV once
Urological Surgery:	☐ Cefazolin 2 grams IV once (if ≥ 120 kg, give 3 grams total) ☐ Penile Prosthesis: Cefazolin 2 grams IV once PLUS Gentamicin 100 mg IV once If B-lactam allergy: ☐ Levofloxacin 500 mg IV once ☐ Clindamycin 900 mg IV once PLUS Gentamicin 100 mg IV once
Adjuvant Medication Orders:	☐ Acetaminophen 1000 mg PO once preop ☐ Gabapentin (Neurontin) 100 mg PO once preop ☐ Celecoxib 200 mg PO once preop ☐ Dexamethasone 4 mg IV once preop ☐ Ondansetron 4 mg IV once preop ☐ Metoclopramide 10 mg PO once preop ☐ Famotidine 20 mg PO once preop ☐ Scopolamine patch apply behind ear at least 1 hour prior to surgery Other Orders: _____ _____

Preoperative antibiotic administration should begin within 60 minutes prior to incision. Exception: Vancomycin within 120 min prior.

Physician Signature: _____ **Date:** _____ **Time:** _____

Physician Name (Printed) _____