		Do Not Use Abbreviations: U (for Unit), IU for International unit), Q.D., Q.O.D., Trailing Zero (X.0 mg) MS, MSO4 MgSO4				
Podiatry/Orthopedic Pre-Op						
Status: □ Admit to Inpatient S □ Place Patient in Out	tatus (I certify that inpatient servic toatient Status	es are needed)				
	tpatient Status and begin Observa	tion Services				
Admit to the service of:	· •					
		FIRST NAME	DATE OF BIRTH:			
DIAGNOSIS:			ANESTHESIA TYPE:			
	PROCEDURE CONSEN	NT TO STATE:				
DATE OF SURGERY/PROCEDURE	PHYSICIAN:	PRIMARY PHYSICIAN:				
	CPT CODE	(S)				
ALLERGIE(S)						
Type of Reaction(s): Patient Weight:	kg					
PRE-OP MEDICATIONS:						
IV FLUIDS:		Enhanced Surgical F	Enhanced Surgical Recovery			
□ Peripheral IV access		 Diet: □ No solid food after midnight the night before the procedure unless otherwise instructed by anesthesia. □ May have clear liquids (NO RED COLOR OR DYE) up to 				
Lactated Ringers @ 30 mL/hr on arrival to Preop						
□ 0.9% Sodium Chloride @ 30 mL/hr on arrival to Preop						
			arrival time at JFKN or until 2 hours before scheduled surgery.			
PRE-OP ANTIBIOTICS: Infuse wi			 If instructed to do bowel prep prior to surgery, no solid food starting at midnight 2 nights prior to surgery. INSTRUCT PATIENT TO DRINK pre-surgery drink: 			
□ Patient weight < 60 kg: cefaz	olin 1 gm IV	a				
□ Patient weight 60-120 kg: cef	azolin 2 gm IV					
□ Patient weight > 120 kg: cefazolin 3 gm IV		Drink 2 bottles evening	Drink 2 bottles evening prior to surgery and drink			
If beta-lactam allergy or has a h		□ If nationt is Diabatia a	 one bottle at least 2 hours prior to scheduled surgery time. If patient is Diabetic, substitute Gatorade Zero for pre- surgery drink and instruct to 			
	placement, if positive or unknown					
MRSA nasal surveillance swab, give cefazolin with vancomycin:		drink one 20 oz. bottle t	he evening prior to procedure and			
Vancomycin Dose: Infuse within 120 minutes prior to surgery			ade zero 2 hours prior to scheduled			
□ Patient weight < 50 kg: Vancomycin 750 mg IV over 60 minutes		Instruct nation to shower/	bathe with 2% chlorhexidine			
□ Patient weight 50 - 100 kg: Vancomycin 1 gm IV over 60 minutes		s gluconate (CHG) shower s				
□ Patient weight > 100 kg: Vancomycin 1.5 gm IV over 90 minutes		s night before surgery and r	 night before surgery and repeat the morning of surgery. Upon arrival to preop have patient wipe body down with 2% chlorhexidine gluconate (CHG) wipes. 			
If beta-lactam and vancomycin intolerant, give clindamycin:						
Clindamycin 900 mg IV over 3 prior to surgery	30 minutes, start 60 minutes	2 % chlomexidine glucona	le (ChG) wipes.			
Physician Signature:	Print Name:	Date/Time: _	//at:			

PODIATRY-ORTHO PRE OPERATIVE ORDERS



POS HCAFL-H-JFKN-10004 Page 1 of 2 Rev. 05/2023

HCA Florida 2201 - 45th Street West Palm Beach, FL 33407

Patient Identification/Label

Podiatry/Orthopedic Pre-Operative Orders				
MEDICATIONS:	Reminder: Contraindicated in patients with glaucoma or			
 A. To be given in preop day of surgery, or B. Patient given script to take medication price 	elevated intraocular pressure			
☐ Acetaminophen 975 mg PO x 1	Reminder: Do not give if age >65			
□ Acetaminophen 650 mg liquid PO x 1	SCOPOLAMINE HYDROBROMIDE			
□ Acetaminophen 1gm IV x 1	1 PATCH TRANSDERM PREOP.			
□ Celecoxib 200 mg PO x 1	APPLY UPON ARRIVAL BEHIND EAR and GIVE PATIENT SCOPOLAMINE INSTRUCTION SHEET			
🛛 Gabapentin (Neurontin) 600 mg PO x 1				
Reminder: If age > 75, patient on dialysis, or <50kg we				
Gabapentin (Neurontin) 300 mg PO x 1	PROPHYLAXIS			
Oxycodone IMMEDIATE release (OxyIR) 10 mg Metoclopramide 10 mg IV x 1				
□ Tranexamic acid 1gm IV x 1	🔄 enoxaparin (Lovenox) 40 mg subcutaneous			
☐ Other medication order:	x1 preop			
□ Tramadol 50mg PO x 1	heparin 5,000 units subcutaneous x1 preop			
Dexamethasone 8mg PO x 1 (DO NOT ORDER	□ Calf-high Sequential Compression Device to			
	te placed in preop			
□ EKG Done at: □ HCA FL JFK North Hospital □ PCP				
Must Be Legible Copy				
	Medical Pre Op Evaluation: Phone:			
g	No Yes Dr.: Indiac Pre Op Evaluation: Phone:			
	rrdiac Pre Op Evaluation: Phone: No □ Yes Dr.:			
determine testing.	her Pre Op Evaluation (Type): Phone:			
	No \square Yes Dr.:			
□ CBC □ CBC With Differential 0t Ot Ot Ot	Pre Op Evaluation (Type): Phone:			
CMR (Complete Metabolio Brofile)] Yes Dr.:			
	From Nursing Home/Extended Phone:			
	nre Facility? No Yes Name:			
	NPO AFTER MIDNIGHT, DATE:			
	Chest X-Ray			
□ Type & Screen	□ JFKN □ Outside testing			
□ Type & Cross X units MF	RI:			
□ MRSA/MSSA Screening (required CI	1			
	otain Test Results:			
	OTHER DNE AT :			
	DITIONAL ORDERS:			
□ Instruct 2% chlorahexadine bathing				
Case Management to Arrange:				
	□ Popliteal Block □ Single □ Catheter □ On Q Pump			
□ Rolling Walker				
PERSON COMPLETING FORM:	NAME (PLEASE PRINT):			
	DATE: TIME:			
PHYSICIAN'S SIGNATURE:	PHYSICIAN'S NAME (PLEASE PRINT):			
	DATE: TIME:			
Datiant Name and Data of Pirth (for officer)				

Patient Name and Date of Birth (for offices)

PODIATRY-ORTHO PRE OPERATIVE ORDERS



POS HCAFL-H-JFKN-10004 Rev. 05/2023 Page 2 of 2

HCA Florida JFK North Hospital 2201 - 45th Street West Palm Beach, FL 33407

Patient Identification/Label